



Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

| | |
|------|---|
| 5120 | Ball bearings, blue rubber sealed (12x18x4mm) (2) |
| 5101 | Ball bearings, blue rubber sealed (12x21x5mm) (2) |
| 5116 | Ball bearings, blue rubber sealed (5x11x4mm) (2) |
| 5114 | Ball bearings, blue rubber sealed (5x8x2.5mm) (2) |
| 5180 | Ball bearings, blue rubber sealed (6x13x5mm) (2) |
| 5118 | Ball bearings, blue rubber sealed (8x16x5mm) (2) |

Body & Accessories

| | |
|--------------|---|
| 1926 | Antenna caps, vinyl (2)/ antenna spool |
| 5526 | Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools |
| 5526R | Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools |
| 1726 | Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) |
| 8615 | Body mounts, front & rear/ 3x12mm CS (4)/ 3x12mm shoulder screw (2)/ 3x10mm flat-head machine screw (8)/ 3x12mm BCS (1) |
| 8614 | Body posts, clipless, front & rear (1 each) |
| 8613 | Body support/ 3x12mm CS (4) |
| 8611 | Body, E-Revo (clear, requires painting)/window, grill, lights decal sheet |
| 8611G | Body, E-Revo, green/ window, grill, lights decal sheet (assembled with front & rear body mounts and rear body support for clipless mounting) |
| 8611A | Body, E-Revo, orange/ window, grill, lights decal sheet (assembled with front & rear body mounts and rear body support for clipless mounting) |
| 2514 | Decal sheet, racing sponsors |
| 9950 | Official Team Traxxas racing decal set (flag logo/ 6-color) |
| 8617 | Skid plate, roof (body)/ 3x12mm CS (4) |
| 5185 | Tires, rubber (2) (fits Traxxas wheelie bar wheels) |
| 4974 | Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4) |
| 5473 | Wheelie bar mount (1)(fits 1/10 scale Revo trucks) |
| 5472 | Wheelie bar, assembled (fits all 1/10th scale Revo trucks) |
| 4976 | Wheels (4)/ Axles (2), for wheelie bar |
| 5413 | Wing mount, center / wing washers (for Revo) |
| 8616 | Wing mounts, low profile |
| 5446 | Wing, Revo (black)/ decal sheet |
| 5446G | Wing, Revo (Exo-Carbon finish)/ decal sheet |
| 5412 | Wing, Revo (white)/ decal sheet |

Bumpers & Skidplates

| | |
|-------|---|
| 5335X | Bumpers, front and rear (black chrome) |
| 5315 | Guards, steering servo (2) |
| 8637 | Skid plate set, front/ skid plate, rear/ 3x10 BCS (6)/ 3x30 BCS (1) (fits #8629 & 8630 bulkheads) |
| 5637X | Skidplate, transmission, nylon (black)/ cover |

Chassis & Attachments

| | |
|--------------|---|
| 8615 | Body mounts, front & rear/ 3x12mm CS (4)/ 3x12mm shoulder screw (2)/ 3x10mm flat-head machine screw (8)/ 3x12mm BCS (1) |
| 5624 | Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/ 2.5x8mm CS (2)/ 3x6mm BCS (2) |
| 5323 | Bulkhead tie bars, front & rear (blue-anodized aluminum) |
| 5323R | Bulkhead tie bars, front & rear (red-anodized aluminum) |
| 8630 | Bulkhead, front (upper and lower)/ 4x12mm BCS (6) (requires #8622 chassis) |
| 8629 | Bulkhead, rear (upper and lower)/ 4x12mm BCS (6) (requires #8622 chassis) |
| 8620 | Chassis supports, front & rear/ 3x12mm BCS (4)/ 3x15mm CS (4)/ 4x14mm BCS (1) |
| 8622 | Chassis, E-Revo (requires #8629 & 8630 bulkheads) |
| 5627 | Door, battery compartment (2) (fits right or left side) |
| 5315 | Guards, steering servo (2) |
| 5629 | Retainer clip, battery (1)/ front clip (1) /rear clip (1)/ foam spacer (1) (for one battery compartment) |
| 5625 | Seal kit, receiver box (includes o-ring, seals, and silicone grease) |
| 5317 | Shock mounts (front & rear)/ wire clip (1)/ chassis wire clips (4)/ 3x32mm CS (4)/ 3x6mm BCS (1) |
| 8637 | Skid plate set, front/ skid plate, rear/ 3x10 BCS (6)/ 3x30 BCS (1) (fits #8629 & 8630 bulkheads) |
| 5637X | Skidplate, transmission, nylon (black)/ cover |
| 5185 | Tires, rubber (2) (fits Traxxas wheelie bar wheels) |
| 5628 | Vent, battery compartment (includes latch) (1 pair, fits left or right side) |
| 4974 | Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4) |
| 5473 | Wheelie bar mount (1)(fits 1/10 scale Revo trucks) |
| 5472 | Wheelie bar, assembled (fits all 1/10th scale Revo trucks) |
| 4976 | Wheels (4)/ axles (2), for Maxx wheelie bar |

Cush Drive Components

| | |
|--------------|--|
| 6465 | Cush drive key/ pin/ elastomer damper |
| 6487X | Gear, 15-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears) |
| 6494X | Gear, 20-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears) |
| 7793X | Housing, cush drive (front & rear halves) |
| 6447 | Spur gear, 46-tooth (1.0 metric pitch) |
| 6448 | Spur gear, 50-tooth (1.0 metric pitch) |
| 6449 | Spur gear, 54-tooth (1.0 metric pitch) |

Differential Components

| | |
|--------------|---|
| 5118 | Ball bearings, blue rubber sealed (8x16x5mm) (2) |
| 8681X | Carrier, differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket/ spacers (4)/ 12.2x18x0.5 MW |
| 8681 | Carrier, differential (heavy duty)/ x-ring gaskets (2)/ ring gear gasket/ spacers (4)/ 12.2x18x0.5 TW |
| 5136X | Differential oil kit (1 each: 10K, 30K, 50K weights) |
| 8682 | Gear set, differential (spider gears (4), spider gear shaft (2)) |
| 5130 | Oil, differential (100K weight) (.7 oz (20cc)) |
| 5135 | Oil, differential (10K weight) |
| 5040 | Oil, differential (20M weight) (standard) |
| 5136 | Oil, differential (30K weight) |
| 5137 | Oil, differential (50K weight) |
| 8684 | Output gear, center differential, hardened steel (2) |
| 8683 | Output gears, differential, hardened steel (2) |
| 8679 | Ring gear, differential/ pinion gear, differential |

Driveline Components

| | |
|--------------|--|
| 8635 | Axle carriers, left & right (1 each) (use with 8x16mm & 17x26mm ball bearings)/ dust boot retainers (4) |
| 8652 | Drive cup, machined steel (2)/ 4x17mm screw pins (2) |
| 8650 | Driveshaft, steel constant-velocity (heavy duty, shaft only, 122.5mm) |
| 5650R | Driveshafts, center E-Revo (steel constant-velocity) front (1)/ rear (1) (assembled with inner and outer dust boots, for E-Revo & Summit) |
| 5150 | E-clips, 1.5mm (24) |
| 8655 | Half shafts, center (internal splined (2)/ external splined (2)) (plastic parts only) |
| 8651 | Rebuild kit, driveshaft (cross pin (2)/ 16mm pin (2)) (metal parts for 2 driveshafts) |
| 5145 | Screw pin, 4x15mm (6) |
| 8653 | Stub axle |
| 5452 | U-joints, driveshaft (carrier (4)/ 4.5mm cross pin (4)/ 3mm cross pin (4)/ e-clips (20)) (metal parts for 2 driveshafts) |
| 8654 | Wheel hubs, splined, 17mm (blue-anodized) (4)/ 4x5 GS (4), 3x14mm pin (4) |
| 5353X | Wheel hubs, splined, 17mm (blue-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4) |
| 5353G | Wheel hubs, splined, 17mm (green-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4) |
| 5353R | Wheel hubs, splined, 17mm (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4) |
| 5353A | Wheel nuts, splined, 17mm (green-anodized) (4) |
| 8658 | Yokes, transmission (2)/ 4x15mm screw pins (2) |

Front Suspension

| | |
|--------------|--|
| 8635 | Axle carriers, left & right (1 each) (use with 8x16mm & 17x26mm ball bearings)/ dust boot retainers (4) |
| | Bulkhead tie bars, front & rear (blue-anodized aluminum) |
| 5323R | Bulkhead tie bars, front & rear (red-anodized aluminum) |
| 8630 | Bulkhead, front (upper and lower)/ 4x12mm BCS (6) (requires #8622 chassis) |
| 5134 | Caster spacers (4)/ shims (4) |
| 5378X | Pivot ball caps (4)/ dust boots, rubber (4)/ dust plugs, rubber (4)/ dust boot retainers, black (4), blue (4) (2 pkgs. req. to complete truck) |
| 4933 | Pivot balls (4)/ pivot ball cap bushings (4) |
| 4933X | Pivot balls, hard-anodized 7075-T6 aluminum (4)/ pivot ball cap bushings (4) |
| 8618 | Push rod (steel) (assembled with rod ends) (2) |
| 5354X | Rocker arm post (aluminum) (4) |
| 5354 | Rocker arm post (steel) (2) |
| 5358 | Rocker arm set, progressive-2 (90-T)/ spacers (red aluminum) (8) |
| 8647 | Rod ends, heavy duty (push rod) (8) (assembled with hollow balls) |
| 8646 | Rod ends, heavy duty (toe links) (8) (assembled with hollow balls) |

- 8632 Suspension arms, front (left), heavy duty (upper (1)/ lower (1))
- 8631 Suspension arms, front (right), heavy duty (upper (1)/ lower (1))
- 5321 Suspension pin set (front or rear, hardened steel), 3x20mm (4), 3x40mm (2)
- 8638 Toe link, 5.0mm steel (front or rear) (2)

Hardware

- 5150 E-clips, 1.5mm (24)
- 5477 Flat wrench, 5mm (blue-anodized aluminum)
- 5478 Flat wrench, 8mm (blue-anodized aluminum)
- 3980 Glow plug wrench (universal wrench)
- 2586 Head screws, 3x15mm cap-head machine (hex drive) (6) (TRX 2.5)
- 5476X Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5mm ball
- 5475 Multi-tool (plastic)
- 5144 Screw pin, 2.5x18mm (6)
- 5145 Screw pin, 4x15mm (6)
- 3236 Screws, 2.5x12mm cap-head machine (6)
- 3965 Screws, 2.5x8mm cap-head machine (6)
- 2577 Screws, 3x10mm button-head machine (hex drive) (6)
- 2587 Screws, 3x10mm cap-head machine (6) (no washer)
- 2551 Screws, 3x10mm countersunk machine (6) (hex drive)
- 5282 Screws, 3x12mm button-head machine (6) (starter attachment screws with Threadlock)
- 2578 Screws, 3x12mm button-head machine (hex drive) (6)
- 2552 Screws, 3x12mm countersunk machine (6) (hex drive)
- 2579 Screws, 3x15mm button-head machine (hex drive) (6)
- 2553 Screws, 3x15mm countersunk machine (6) (hex drive)
- 2581 Screws, 3x25mm button-head machine (hex drive) (6)
- 2582 Screws, 3x30mm button-head machine (hex drive) (6)
- 3971 Screws, 3x35mm cap-head machine (hex drive) (6)
- 2575 Screws, 3x6mm button-head machine (hex drive) (6)
- 2576 Screws, 3x8mm button-head machine (hex drive) (6)
- 3936 Screws, 4x10mm button-head machine (hex drive) (6)
- 3937 Screws, 4x12mm button-head machine (hex drive) (6)
- 3938 Screws, 4x14mm button-head machine (hex drive) (6)
- 3929 Screws, 4x18mm button-head machine (hex drive) (6)
- 3939 Screws, 4x6mm button-head machine (hex drive) (with threadlock) (6)
- 4897 Screws, set (grub) 4mm (6) (with threadlock)

Motors & Electronics

- 2072 Gear set (for 2070, 2075 servos)
- 8661 Motor mount hinge post/ 5x25mm BCS (1)/ 4x16mm CS with split and flat washer (1)
- 5660 Motor mount, finned aluminum
- 3481 Motor, 2200Kv 75mm, brushless (with 6.5mm gold-plated connectors & high-efficiency heatsink)
- 8690 Plate, motor
- 2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
- 2075 Servo, digital high-torque (ball bearing), waterproof
- 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
- 3480 Velineon VXL-6s Brushless Power System, waterproof (includes VXL-6s ESC and 2200Kv, 75mm motor)
- 3485 Velineon VXL-6s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)

Radio System, Batteries & Chargers

- 2872X 5000mAh 11.1v 3-Cell 25C LiPo Battery
- 2843X 5800mAh 7.4v 2-Cell 25C LiPo Battery
- 2869X 7600mAh 7.4v 2-Cell 25C LiPo Battery
- 2976 AC to DC converter, 40W
- 2938X Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports)
- 5526 Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools
- 5526R Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 6546 Battery door, TQi transmitter (replacement for #6528, 6529, 6530 transmitters)
- 2914 Battery, Power Cell AA Alkaline (4)
- 2991 Battery/charger completer pack (includes #2972 Dual iD charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo battery (2))
- 2972 Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification
- 2971 Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery Identification
- 2970 Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
- 5632 Chassis brace, rear (fits E-Revo / Summit)
- 6525 Communication link, telemetry expander
- 2978 Fuse, charger, 5A (2) (for #2974, 2975, 2977)
- 2072 Gear set (for 2070, 2075 servos)

- 6556 Mount, telemetry expander (fits XO-1, E-Revo*, Summit*, all Maxx trucks, Revo 3.3, Slayer Pro 4X4) (*requires rear chassis brace #5632)
- 6535 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
- 6533 Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)
- 6552 Seal kit, expander box (includes o-ring, seals, and silicone grease)
- 6526 Sensor, auto-detectable, temperature
- 6527 Sensor, auto-detectable, voltage
- 6522 Sensor, RPM (short)/ 3x4mm BCS (2)
- 6521 Sensor, temperature and voltage (long)
- 2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
- 2075 Servo, digital high-torque (ball bearing), waterproof
- 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
- 6550 Telemetry expander, TQi radio system
- 6551 Telemetry GPS module, TQi radio system
- 6540 Telemetry trigger magnet, 5X2mm (1)
- 6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link enabled, TSM (2-ch transmitter, 5-ch micro receiver)
- 6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)
- 6528 Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 2-channel (transmitter only)
- 6529 Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 3-channel (transmitter only)
- 6530 Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only)
- 6511 Traxxas Link Wireless Module

Ready-To-Race Model

- 86086-4 E-Revo VXL Brushless: 1/10 Scale 4WD Brushless Electric Monster Truck with TQi 2.4GHz Traxxas Link Enabled Radio System and Traxxas Stability Management (TSM)

Rear Suspension

- 8635 Axle carriers, left & right (1 each) (use with 8x16mm & 17x26mm ball bearings)/ dust boot retainers (4)
- 5323 Bulkhead tie bars, front & rear (blue-anodized aluminum)
- 5323R Bulkhead tie bars, front & rear (red-anodized aluminum)
- 8629 Bulkhead, rear (upper and lower)/ 4x12mm BCS (6) (requires #8622 chassis)
- 5378X Pivot ball caps (4)/ dust boots, rubber (4)/ dust plugs, rubber (4)/ dust boot retainers, black (4), blue (4) (2 pkgs. req. to complete truck)
- 4933 Pivot balls (4)/ pivot ball cap bushings (4)
- 4933X Pivot balls, hard-anodized 7075-T6 aluminum (4)/ pivot ball cap bushings (4)
- 8618 Push rod (steel) (assembled with rod ends) (2)
- 5354X Rocker arm post (aluminum) (4)
- 5354 Rocker arm post (steel) (2)
- 5358 Rocker arm set, progressive-2 (90-T)/ spacers (red aluminum) (8)
- 8647 Rod ends, heavy duty (push rod) (8) (assembled with hollow balls)
- 8646 Rod ends, heavy duty (toe links) (8) (assembled with hollow balls)
- 8634 Suspension arms, rear (left), heavy duty, adjustable wheelbase (upper (1)/ lower (1))
- 8633 Suspension arms, rear (right), heavy duty, adjustable wheelbase (upper (1)/ lower (1))
- 5321 Suspension pin set (front or rear, hardened steel), 3x20mm (4), 3x40mm (2)
- 8638 Toe link, 5.0mm steel (front or rear) (2)

Shocks (GTR)

- 5466X Body, GTR shock (hard-anodized, PTFE-coated aluminum) (1)
- 5465 Caps and spring retainers, GTR shock (upper cap (2)/ hollow balls (2)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
- 5475 Multi-tool (plastic)
- 5158 Nuts, 2.5mm nylon locking (12)
- 5462 Rebuild kit, GTR shock (x-rings, bump stops, bladders, all pistons, piston nuts, shock rod ends) renews 2 shocks
- 5469 Rod ends (GTR shocks) (6)
- 5463T Shaft, GTR shock, TiN-coated (2)
- 5460 Shocks, GTR aluminum (assembled) (2) (without springs)
- 5460A Shocks, GTR aluminum, blue-anodized (fully assembled w/o springs) (4)
- 5460R Shocks, GTR aluminum, red-anodized (fully assembled w/o springs) (4)
- 5460X Shocks, GTR hard-anodized, PTFE-coated aluminum bodies with TiN shafts (fully assembled w/o springs) (4)
- 5461 Variable damping kit, GTR shocks (includes #1, #2, #3 pistons and stainless steel valves)

Springs

| | |
|------|---|
| 5435 | Spring, shock (red) (GTR) (2.6 rate yellow) (1 pair) |
| 5436 | Spring, shock (red) (GTR) (2.9 rate white) (1 pair) |
| 5437 | Spring, shock (red) (GTR) (3.2 rate orange) (1 pair) |
| 5438 | Spring, shock (red) (GTR) (3.5 rate green) (1 pair) |
| 5439 | Spring, shock (red) (GTR) (3.8 rate gold) (1 pair) |
| 5440 | Spring, shock (red) (GTR) (4.1 rate tan) (1 pair) |
| 5441 | Spring, shock (red) (GTR) (4.4 rate black) (1 pair) |
| 5442 | Spring, shock (red) (GTR) (4.9 rate silver) (std. front 120mm) (1 pair) |
| 5444 | Spring, shock (red) (GTR) (5.9 rate blue) (std. rear 120mm) (1 pair) |
| 5445 | Spring, shock (red) (GTR) (6.4 rate purple) (1 pair) |
| 5443 | Spring, shock red (GTR) (5.4 rate pink) (1 pair) |

Spur Gears & Pinion Gears

| | |
|-------|---|
| 6487X | Gear, 15-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears) |
| 6494X | Gear, 20-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears) |
| 6447 | Spur gear, 46-tooth (1.0 metric pitch) |
| 6448 | Spur gear, 50-tooth (1.0 metric pitch) |
| 6449 | Spur gear, 54-tooth (1.0 metric pitch) |

Steering Components

| | |
|-------|--|
| 5355X | Hollow ball set, aluminum (30)/ tall centered hollow ball (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) |
| 5355 | Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) |
| 5343X | Mount, steering arm/ steering stops (2) (lower hinge pin retainer) (includes standard and maximum throw steering stops) |
| 5469 | Rod ends (GTR shocks) (6) |
| 8646 | Rod ends, heavy duty (toe links) (8) (assembled with hollow balls) |
| 5349 | Rod ends, small, with hollow balls (6) (for Revo steering linkage) |
| 5345X | Servo horns, steering and throttle (for non-Traxxas servos (Hitec, JR, KO, Airtronics)) |
| 5345R | Servo horns, steering, long (2), short (2)/ linkage, steering (3x20mm turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4) |
| 5344X | Servo saver spring, heavy duty (for use with metal-gear servos) |
| 2075 | Servo, digital high-torque (ball bearing), waterproof |
| 2075X | Servo, digital high-torque, metal gear (ball bearing), waterproof |
| 8638 | Toe link, 5.0mm steel (front or rear) (2) |

Suspension Linkage

| | |
|-------|--|
| 5355X | Hollow ball set, aluminum (30)/ tall centered hollow ball (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) |
| 5355 | Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) |
| 8618 | Push rod (steel) (assembled with rod ends) (2) |
| 5469 | Rod ends (GTR shocks) (6) |
| 8646 | Rod ends, heavy duty (toe links) (8) (assembled with hollow balls) |
| 5345R | Servo horns, steering, long (2), short (2)/ linkage, steering (3x20mm turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4) |
| 5321 | Suspension pin set (front or rear, hardened steel), 3x20mm (4), 3x40mm (2) |
| 8638 | Toe link, 5.0mm steel (front or rear) (2) |
| 5338A | Toe links, Revo (Tubes 7075-T6 aluminum, black) (128mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ wrench (1) |
| 5338R | Toe links, Revo (Tubes red-anodized, 7075-T6 aluminum, stronger than titanium) (128mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1) |

Team Traxxas Items

| | |
|-------|---|
| 2514 | Decal sheet, racing sponsors |
| 6160X | DVD, Maxx Power! Full Throttle Action (sleeve) |
| 9950 | Official Team Traxxas racing decal set (flag logo/ 6-color) |
| 9909 | Traxxas racing banner, red & black (3x7 feet) |

Tires & Wheels

| | |
|-------|---|
| 4955 | Pins, axle (2.5x12mm) (4) |
| 5666 | Sidewall protector, beadlock style (blue) (2)/ 2.5x8mm CS (24) (for use with Geode wheels) |
| 5664 | Sidewall protector, beadlock style (green) (2)/ 2.5x8mm CS (24) (for use with Geode wheels) |
| 5667 | Sidewall protector, beadlock style (red) (2)/ 2.5x8mm CS (24) (for use with Geode wheels) |
| 5665 | Sidewall protector, beadlock style (yellow) (2)/ 2.5x8mm CS (24) (for use with Geode wheels) |
| 8672 | Tires & wheels, assembled, glued (black wheels, Talon EXT tires, foam inserts) (2) (17mm splined) (TSM rated) |
| 5374A | Tires & wheels, assembled, glued (Gemini black chrome wheels, Talon tires, foam inserts) (2) |

| | |
|-------|--|
| 5374X | Tires & wheels, assembled, glued (Gemini black chrome wheels, Talon tires, foam inserts) (2) (use with 17mm splined wheel hubs & nuts, part #5353X) (TSM rated) |
| 5374 | Tires & wheels, assembled, glued (Gemini chrome wheels, Talon tires, foam inserts) (2) (also fits Maxx series) |
| 5674 | Tires & wheels, assembled, glued (Geode chrome wheels, Maxx tires (6.3" outer diameter), foam inserts) (2) (use with 17mm splined wheel hubs & nuts, part #5353X & beadlock-style sidewall protectors, part #5665, 5666, 5667) |
| 5672 | Tires & wheels, assembled, glued (Geode chrome wheels, paddle tires, foam inserts) (2) (use with 17mm splined wheel hubs & nuts, part # 5353X) (TSM rated) |
| 8672G | Tires & wheels, assembled, glued (green wheels, Talon EXT tires, foam inserts) (2) (17mm splined) (TSM rated) |
| 4973R | Tires & wheels, assembled, glued (Hurricane chrome wheels, Maxx tires (6.3" outer diameter), foam inserts) (2) (fits Revo/Maxx series) |
| 8672A | Tires & wheels, assembled, glued (orange wheels, Talon EXT tires, foam inserts) (2) (17mm splined) (TSM rated) |
| 5174A | Tires & wheels, assembled, glued (Split-Spoke satin-finish wheels, Talon tires, foam inserts) (2) (fits Maxx w/sealed pivot ball suspension & Revo) |
| 4983A | Tires & wheels, assembled, glued (SS (Split Spoke) black chrome wheels, Maxx tires (6.3" outer diameter), foam inserts) (2) (fits Maxx/Revo series) (TSM rated) |
| 5174 | Tires & wheels, assembled, glued (SS (Split Spoke) chrome wheels, Talon tires, foam inserts) (2) (fits Maxx/Revo series) |
| 5174R | Tires & wheels, assembled, glued (SS (Split Spoke) chrome wheels, Talon tires, foam inserts) (2) (use w/17mm splined wheel hubs & nuts, part #5353X) |
| 5375R | Tires & wheels, assembled, glued (white dished 3.8" wheels, Response Pro tires, foam inserts) (2) (use with 17mm splined wheel hubs and wheel nuts, part #5353X) |
| 5670 | Tires, Canyon AT 3.8" (2)/ foam inserts (2) |
| 4973 | Tires, Maxx 3.8" (6.3" outer diameter (160mm)) (2) (fits Revo/Maxx series) |
| 5171 | Tires, Maxx Chevron 3.8" (2) (fits Revo/Maxx series) |
| 8673 | Tires, paddle |
| 5375 | Tires, Response Pro 3.8" (soft-compound, narrow profile, short knobby design)/ foam inserts (2) |
| 5471 | Tires, Response racing 3.8" (soft-compound, narrow profile, short knobby design)/ foam inserts (2) |
| 5470 | Tires, SportTraxx racing 3.8" (soft compound, directional and asymmetrical tread design)/ foam inserts (2) |
| 8670 | Tires, Talon EXT 3.8" (2), foam inserts (2) |
| 8654 | Wheel hubs, splined, 17mm (blue-anodized) (4)/ 4x5 GS (4), 3x14mm pin (4) |
| 7758 | Wheel nuts, splined, 17mm, serrated (blue-anodized) (4) |
| 7758G | Wheel nuts, splined, 17mm, serrated (green-anodized) (4) |
| 7758R | Wheel nuts, splined, 17mm, serrated (red-anodized) (4) |
| 8671 | Wheels, 3.8" (black) (2) (17mm splined) |
| 8671G | Wheels, 3.8" (green) (2) (17mm splined) |
| 8671A | Wheels, 3.8" (orange) (2) (17mm splined) |
| 5371 | Wheels, dished 3.8" (white) (2) (use with 17mm splined wheel hubs and wheel nuts, part #5353X) |
| 5372A | Wheels, Gemini 3.8" (black chrome) (2) |
| 5372X | Wheels, Gemini 3.8" (black chrome) (2) (use with 17mm splined wheel hubs & nuts, part #5353X) |
| 5372 | Wheels, Gemini 3.8" (chrome) (2) (also fits Maxx series) |
| 5671 | Wheels, Geode 3.8" (chrome) (2) (use with 17mm splined wheel hubs & nuts, part #5353X & beadlock-style sidewall protectors, part #5665, 5666, 5667) |
| 5373 | Wheels, Hurricane 3.8" (chrome) (2) (also fits Maxx series) |
| 5172A | Wheels, SS (split spoke) 3.8" (black chrome) (2) (use with 17mm splined wheel hubs & nuts, part #5353X) (fits Revo/Maxx series) |
| 5172X | Wheels, SS (split spoke) 3.8" (chrome) (2) (fits Revo/Maxx series) |
| 5172R | Wheels, SS (split spoke) 3.8" (chrome) (2) (use with 17mm splined wheel hubs & nuts, part #5353X) (fits Revo/Maxx series) |
| 5172 | Wheels, SS (split spoke) 3.8" (satin) (2) (fits Revo/Maxx series) |

Transmission Components

| | |
|-------|---|
| 5116 | Ball bearings, blue rubber sealed (5x11x4mm) (2) |
| 8681X | Carrier, differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket/ spacers (4)/ 12.2x18x0.5 MW |
| 8677 | Cover, gear/ 3x12mm CS (1) |
| 6465 | Cush drive key/ pin/ elastomer damper |
| 8682 | Gear set, differential (spider gears (4), spider gear shaft (2)) |
| 8691 | Gearbox halves (front & rear)/ idler gear shaft |
| 5041 | Grease, premium high performance (20cc) |
| 7793X | Housing, cush drive (front & rear halves) |
| 8692 | Input shaft/ idler gear |
| 8661 | Motor mount hinge post/ 5x25mm BCS (1)/ 4x16mm CS with split and flat washer (1) |

| | |
|------|--|
| 5660 | Motor mount, finned aluminum |
| 8685 | Output gear, 36-tooth, metal |
| 8684 | Output gear, center differential, hardened steel (2) |
| 8690 | Plate, motor |
| 3965 | Screws, 2.5x8mm cap-head machine (6) |
| 2552 | Screws, 3x12mm countersunk machine (6) (hex drive) |
| 1647 | Silicone grease |

Turnbuckles & Threaded Rods

| | |
|------|--|
| 5477 | Flat wrench, 5mm (blue-anodized aluminum) |
| 5341 | Linkage, steering (Revo 3.3) (3x50mm Turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4) |
| 8618 | Push rod (steel) (assembled with rod ends) (2) |
| 8647 | Rod ends, heavy duty (push rod) (8) (assembled with hollow balls) |
| 8638 | Toe link, 5.0mm steel (front or rear) (2) |

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000,
or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM